

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2275	message with (transmi\$5 or send\$3) with (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 10:36
L2	1415	message near2 (transmi\$5 or send\$3) with (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 10:36
L3	512	message near2 (transmi\$5 or send\$3) near3 (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 10:37
L4	10	message near2 (transmi\$5 or send\$3) near3 (policy or rule or regulation) with encrypt\$5 and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 10:38
L5	9	(US-20020031230-\$ or US-20030081785-\$ or US-20030115448-\$ or US-20030147536-\$ or US-20030179885-\$ or US-20030182554-\$ or US-20040139314-\$ or US-20050102512-\$ or US-20030204722-\$).did.	US-PGPUB	OR	ON	2005/11/17 11:57
L6	2	5 and smart adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 11:58
L7	1	5 and smartcard	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:02
L8	3	5 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:03
L9	3	5 and rule and type	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:05
L10	1	content adj based with message with authenticat\$5 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:06
L11	28	content adj based with message with send\$5 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:07

L12	0	content adj based with message with polciy and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:07
L13	2	content adj based with message with policy and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:07
L14	29	content adj based with message with rule and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 12:08
L15	39	content adj based with message with filter\$3 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:16
L16	9	(rule or policy) with list with sign\$6 with message and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:17
L17	62	(rule or policy) with list with e-mail and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:18
L18	5	(rule or policy)near2 list with e-mail and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:18
L19	4	(rule or policy)near2 list with digital adj signature and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:19
L20	1	(rule or policy)near2 list with digital\$2 near2 sign\$3 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:20
L21	11	(rule or policy)with list with digital\$2 near2 sign\$3 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:20
L22	842	(rule or policy) with digital\$2 near2 sign\$3 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:20
L23	109	(rule or policy) near2 digital\$2 near2 sign\$3 and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:20

L24	2	(rule or policy) near2 digital\$2 near2 sign\$3 with e-mail and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:36
L25	62	(determin\$6 or authenticat\$5) with smartcard with whether and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:36
L26	18	(determin\$6 or authenticat\$5) near3 smartcard near3 whether and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:37
L27	0	(determin\$6 or authenticat\$5) near3 smartcard with e-mail and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:37
L28	0	(determin\$6 or authenticat\$5) with smartcard with e-mail and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:37
L29	5	(determin\$6 or authenticat\$5) with smart\$card with e-mail and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:38
L30	15	(determin\$6 or authenticat\$5) near3 smart\$card with message and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:39
L31	2	(determin\$6 or authenticat\$5) near3 smart\$card with recipient and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 14:39
S1	2	"20030182573".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 13:54
S2	3	identity with base\$5 with encrypt\$5 with (district or region or geograph\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 13:56
S3	17266	identity with base\$5 and (district or region or geograph\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 13:56
S4	17201	identity with base\$5 and (district or region or domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 13:56

S5	295	identity with base\$5 and (district or region or domain) with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 13:56
S6	9	identity with base\$5 with encrypt\$5 and (district or region or domain) with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 13:57
S7	4	identity with base\$5 with encrypt\$5 and (district or region or domain) with policy and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:12
S8	8	IBE and (district or region or domain) with policy and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:12
S9	557	IBE and (district or region or domain) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:12
S10	28	IBE with (district or region or domain) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:13
S11	5	((identity adj base\$3) or IBE) with (region\$3 or district\$3 or geograph\$6 or domain\$3) with (rule or policy) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:14
S12	135	((identity adj base\$3) or IBE) with (region\$3 or district\$3 or geograph\$6 or domain\$3) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:15
S13	27	((identity adj base\$3) or IBE) and (rule or policy or regulat\$5) with key with (region\$3 or district\$3 or geograph\$6 or domain\$3) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:15
S14	12	((identity adj base\$3) or IBE) and private with key with (region\$3 or district\$3 or geograph\$6 or domain\$3) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:24
S15	2	"20020076042".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:25
S16	2	"6061448".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:25

S17	2	"5581616".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:26
S18	2	"5272755".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:26
S19	2	"5016276".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:26
S20	0	"0251066".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:27
S21	3	"251066".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:27
S22	2	"2000251066".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:27
S23	4	(IBE or (identity adj base\$3)) with (policy or rule or regulation) with private adj key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:37
S24	146	(policy or rule or regulation) with private adj key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:37
S25	8	(IBE or (identity adj base\$3)) and (policy or rule or regulation) with private adj key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:40
S26	145	(IBE or (identity adj base\$3)) and (policy or rule or regulation) with (district or region or domain or directory) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 14:40
S27	6	(IBE or (identity adj base\$3)) and (policy or rule or regulation) with (district or region or domain or directory) with key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 16:48
S28	1	sender with (check\$3 or determin\$5) with (policy or rule or regulation) with (district or region or domain or directory) with key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:27

S29	4	identity with base\$3 with encrypt\$3 and (policy or rule or regulation) with (domain or district) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:28
S30	5772	(policy or rule or regulation) with (domain or district) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:28
S31	1	(policy or rule or regulation) with (domain or district) with (determin\$5 or check\$3) with sender with public adj key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:29
S32	1	(policy or rule or regulation) with (domain or district) with (determin\$5 or check\$3) with sender and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:29
S33	4	(policy or rule or regulation) with (domain or district or region) with (determin\$5 or check\$3) with sender and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:30
S34	1764	(policy or rule or regulation) with (domain or district or region) with (determin\$5 or check\$3) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:30
S35	2	(policy or rule or regulation) with (domain or district or region) with (determin\$5 or check\$3) with key with public and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:30
S36	9	(policy or rule or regulation) with (domain or district or region) with (determin\$5 or check\$3) with 'e-mail' and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:34
S37	0	IBE AND (policy or rule or regulation) with (domain or district or region) with 'e-mail' and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:35
S38	1	IDENTITY WITH ENCRYPT\$5 AND (policy or rule or regulation) with (domain or district or region) with 'e-mail' and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:35
S39	4	identity adj base\$3 with encrypt\$5 and 'e-mail' with message and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:36
S40	3	identity adj base\$3 with encrypt\$5 and request\$5 with (policy or regulation or rule) with (generat\$5 or creat\$5) near4 key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:37

S41	657	identity adj base\$3 with encrypt\$5 andwith (policy or regulation or rule) with (generat\$5 or creat\$5) near4 key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:37
S42	7	identity adj base\$3 with encrypt\$5 and (policy or regulation or rule) with (generat\$5 or creat\$5) near4 key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:38
S43	18	(domain or district or region) with (policy or regulation or rule) with (generat\$5 or creat\$5) near4 key and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:41
S44	8	(domain or district or region) with (policy or regulation or rule) with (algorithm or protocol) with encrypt\$5 and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:45
S45	1	(domain or district or region) with (policy or regulation or rule) with (algorithm or protocol) with (send\$3 or transmit\$6) with message and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:45
S46	6	(domain or district or region) with (policy or regulation or rule) with (algorithm or protocol) with (send\$3 or transmit\$6) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:46
S47	26	(domain or district or region) with (policy or regulation or rule) with (algorithm or protocol) with secur\$5 and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:48
S48	13	key near2 generat\$5 with identity with receiver and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:50
S49	33	(send\$3 or transmit\$5) with message with (policy or rule) near3 receiver and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:51
S50	74	(send\$3 or transmit\$5) with message with (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:53
S51	1	(send\$3 or transmit\$5) with message with secur\$5 near3 (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:54
S52	3	key with secur\$5 near3 (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:55

S53	6	sender with secur\$5 near3 (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:55
S54	6	sender with key with (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:56
S55	0	specif\$5 with (how with whether) with (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:56
S56	0	(how with whether) with (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:56
S57	22	how with (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:59
S58	0	how with key with (policy or rule) near3 (receiver or recipient) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 11:57
S59	2	(determin\$5 or check\$3) near3 (encrypt\$5 or crypt\$6) near2 (algorithm or protocol) with (domain or region) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 12:00
S60	1	(determin\$5 or check\$3) with (encrypt\$5 or crypt\$6) near2 (algorithm or protocol) with (domain or region) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 12:01
S61	6	IBE near2 public adj key with (generat\$5 or creat\$5 or construct\$3) and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 13:15
S62	2	"20030115448".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 13:15
S63	0	"20030179885".pn. and "20030182554".pn. and "20030081785".pn. and @ad<="20031117"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 13:16
S64	0	"20030179885".pn. and "20030182554".pn. and "20030081785".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 13:16

S65	6	"20030179885".pn. or "20030182554".pn. or "20030081785".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 13:45
S66	96	(policy or rule or regulation) with key with identity and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:03
S67	350	(identity adj base\$3).ab. and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:04
S68	344	(identity adj base\$3).ab. not identicrypt.as. and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:05
S70	16	(identity adj base\$3) with \$crypt\$. ab. not identicrypt.as. and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:10
S71	27	public adj parameter with key with generat\$5 and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:12
S72	2	public adj parameter with (policy or rule or regulation) with message and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:12
S73	4	public adj parameter with (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:13
S74	561673	(policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:13
S75	7	'e-mail' with key with (encrypt\$5 or encipher\$5) with (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:14
S76	758	key with (encrypt\$5 or encipher\$5) with (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:14
S77	79	message with key with (encrypt\$5 or encipher\$5) with (policy or rule or regulation) and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/10 14:14

S78	2	sender with message with generat\$5 with public with key with (policy or rule) and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/16 11:03
S79	3	sender with message with generat\$5 with key with (policy or rule) and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/16 11:03
S80	53	generat\$5 with public with key with (policy or rule) and @ad<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/16 11:03
S81	4	policy with IBE and @aD<="20031017"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/16 17:38
S82	1	"20050102512".pn. and policy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/17 10:35